


TTV-T40-130X160

TransTac welding curtain, folded edges, W 1300 x
H 1600 mm, red orange T40, ISO 25980



Description

Welding Protective Curtain T40 (red orange), B: 1300 x H: 1600 mm, with folded edges

The curtains protect against grinding and spatter. The protective atmosphere remains during gas-shielded welding since the draughts are minimized by the curtains.

Reinforced eyelets along the top
Curtains are hung up to the C-rail with PA-hooks
Simple sliding to parking position (like a normal curtain)
Special runners are used for larger heights
K-hooks are used for fixing the curtains to a pipe or to safety screens

Product details:

Color: T40 (red orange)
Width: 1300 mm
Height: 1600 mm
Thickness: 0,4 mm
With folded edges
7 reinforced eyelets along the top
Snap fasteners down each side to join more than one curtain
Weight: 1,30 kg/per piece
Risk factor: 0,80

Certificates:

DIN EN 1598:2011-12
DIN EN ISO 25980:2015-01

Field of application:

Protection against splitters and splashes
Grinding protection
Protection against dust, cold and sunlight

Visual protection
Darkening for crack tests

Product advantages:

Sturdy
Durable
Delivery ex stock

General

Short Description	TransTac welding curtain, folded edges, W 1300 x H 1600 mm, red orange T40, ISO 25980
-------------------	---

Spezifikationen

Lenght	1600 mm
Width	1300 mm
Thickness	0,4 mm
Color	T40 red orange
Certifications	DINPLUS
Custom Tariff Number	39269092
Warranty	24 Monate

Related

SKU	Title	Short Description
OCO-Z-LW-8-HAKEN	OCO-Z-LW-8-HAKEN	TransTac runner with hook, plastic, ,
TTV-Z-BOGEN-500	TTV-Z-BOGEN-500	90° elbow, C-rail, 40 x 40 mm, r=400 mm, length 0,5 m, galvanized,
TTV-Z-DEBE-STD	TTV-Z-DEBE-STD	Ceiling fixture f. C-rail, powder coated, incl. dowels and screws,
TTV-Z-K-HAKEN	TTV-Z-K-HAKEN	Spring clip for pipe 1", galvanized, inner diameter 40 mm,
TTV-Z-SCHI-VER	TTV-Z-SCHI-VER	Rail connector for C-rail, powder coated, ,
TTV-Z-STÄNDER-60-25	TTV-Z-STÄNDER-60-25	Curtain stand 60 x 60 x 2,5 mm, kit, H 2000 - 2500 mm,
TTV-Z-WABE-UNI	TTV-Z-WABE-UNI	Wall fixture for C-rail, side wall and, end wall, powder coated/galvanized,

Contact

SINOTec Sicherheits-Systeme GmbH

Senefelderstraße 17
63322 Rödermark

Phone: +49 (0) 6074 8522-0

Fax: +49 (0) 6074 8522-26

E-Mail: info@sinotec.de